

PIOTE Male Patient Questionnaire & History

Name:				Today's Date:
	(Last)	(First)	(Middle)	
Date of Birth:		Age:	Weight:	Profession:
Home Address: _				
City:			State:	Zip:
-lome Phone:		Cell Phone:		Work:
E-Mail Address: _			May we conta	act you via E-Mail?() YES () NO
n Case of Emerg	ency Contact:		Relati	onship:
-lome Phone:		Cell Phone: _		Work:
Primary Care Phy	sician's Name:			Phone:
Address:				
	Addres	25	City	State Zip
n the event we permission to s	e cannot contact y peak to your spou	rou by the mean's you se or significant other a	've provided above, we	ing with Partner () Single would like to know if we have y giving the information below you
	·	, .		
Spouse's Name:			Relationship: _	
Home Phone:		Cell Phone:		Work:
Social History:	() I am sexually a	active		
	() I have comple	eted my family		·
	() I am trying to	conceive		
	() I have used st	eroids in the past for ath	letic purposes	
	() I smoke (cigai	rettes or cigars)	a day	
			drinks,times ;	per week
		cups per		



Any known drug/environmental <i>(i.e. ta</i>	ape/adhesive/allergies;	
Have you ever had any issues with anesthe	esia? () Yes () No	
Medications Currently Taking:		
Current Hormone Replacement Therapy:		
Past Hormone Replacement Therapy:		
Nutritional/Vitamin Supplements:		
Surgeries, list all and when:		
Other Pertinent Information:		
produce less testosterone from my testicles testosterone production which includes your system in 12 months. Therefore, I shou By beginning treatment, I accept all the risks	() Testicular or Prostate Cancer	ver, Cirrhosis) beliets, that I will ecrease in my conceive.
Print Name	Signature Today'	's Date



Testosterone Pellet Insertion Consent Form

Bio-identical testosterone pellets are concentrated, compounded hormone, biologically identical to the testosterone that is made in your own body. Testosterone starts decreasing in our late 20s and early 30s. Bio-identical hormones have the same effects on your body as your own testosterone did when you were producing it at adequate levels. Bio-identical hormone pellets are plant derived and pellets have been used in Europe, the U.S. and Canada since the 1930's. Your risks are similar to those of any testosterone replacement. When the body stops producing adequate levels of testosterone, the risk of not receiving adequate hormone therapy can outweigh the risks of restoring levels to optimal levels.

Risks/Symptoms of low testosterone include but are not limited to:

Arteriosclerosis (hardening of the blood vessels), elevation of cholesterol, obesity, loss of strength and stamina, osteoporosis, anemia, depression, anxiety, worsening of arthritis or joint pain, loss of libido, erectile dysfunction, loss of skin and muscle tone, insulin resistance, increased inflammation in the body, dementia and Alzheimer's disease.

CONSENT FOR TREATMENT: I consent to the insertion of testosterone pellets in my hip/abdomen. I have been informed that I may experience any of the complications to this procedure as described below. **Surgical risks are the same as for any minor medical procedure.**

SIDE EFFECTS MAY INCLUDE:

Bleeding, bruising, swelling, infection and pain and possible extrusion of pellets. Lack of effect (From lack of absorption). Thinning hair, male pattern baldness. Acne, Hyper sexuality (overactive libido). Ten to fifteen percent shrinkage in testicle size. There can also be a significant reduction in sperm production.

A prostate specific antigen blood test is to be done before starting testosterone pellet therapy and will be conducted each year thereafter based on recommendations. Based on results of the PSA, an ultrasound of the prostate gland may be required as well as a referral to a qualified specialist. While urinary symptoms typically improve with testosterone, rarely they may worsen, or worsen before improving. Testosterone therapy may increase one's hemoglobin and hematocrit. This elevation can be diagnosed with a blood test. Thus, a complete blood count should be done at least annually. This condition can be reversed by donating blood periodically.

BENEFITS OF TESTOSTERONE PELLETS INCLUDE:

Increased libido, energy, and sense of well-being. Increased muscle mass and strength and stamina. Decreased frequency and severity of migraine headaches. Decrease in mood swings, anxiety and irritability (secondary to hormonal decline). Decreased weight (Increase in lean body mass). Decrease in risk or severity of diabetes. Decreased risk of Alzheimer's and Dementia. Decreased risk of heart disease in men less than 75 years old with no pre-existing history of heart disease.

On January 31, 2014, the FDA issued a Drug Safety Communication indicating that the FDA is investigating risk of heart attack and death in some men taking FDA approved testosterone products. The risks were found in men over the age of 65 years old with pre-existing heart disease and men over the age of 75 years old with or without pre-existing heart disease. These studies were performed with testosterone patches, testosterone creams and synthetic testosterone injections and did not include subcutaneous hormone pellet therapy.

I agree to immediately report to my practitioner's office any adverse reactions or problems that may be related to my therapy. Potential complications have been explained to me and I agree that I have received information regarding those risks, potential complications and benefits, and the nature of bio-identical and other treatments and have had all my questions answered. Furthermore, I have not been promised or guaranteed any specific benefits from the administration of bio-identical therapy. I certify this form has been fully explained to me, and I have read it or have had it read to me and I understand its contents. I accept these risks and benefits and I consent to the insertion of hormone pellets under my skin. This consent is ongoing for this and all future insertions.

I understand that payment is due in full at the time of service. I also understand that it is my responsibility to submit a claim to my insurance company for possible reimbursement if I desire. I have been advised that most insurance companies do not consider pellet therapy to be a covered benefit and my insurance company may not reimburse me, depending on my coverage. I acknowledge that my provider has no contracts with any insurance company and is not contractually obligated to pre-certify treatment with my insurance company or answer letters of appeal.

Print Name	Signature	Today's Date



HIPAA Information & Consent Form

The Health Insurance Portability and Accountability Act (HIPAA) provides safeguards to protect your privacy. Implementation of HIPAA requirements officially began on April 14, 2003. Many of the policies have been *our* practice for years. This form is a "friendly" version. A more complete text is posted in the office.

What this is all about: Specifically, there are rules and restrictions on who may see or be notified of your Protected Health Information (PHI). These restrictions do not include the normal interchange of information necessary to provide you with office services. HIPAA provides certain rights and protections to you as the patient. We balance these needs with our goal of providing you with quality professional service and care. Additional information is available from the U.S. Department of Health and Human Services. www.hhs.gov

We have adopted the following policies:

- 1. Patient information will be kept confidential except as is necessary to provide services or to ensure that all administrative matters related to your care are handled appropriately. This specifically includes the sharing of information with other healthcare providers, laboratories, health insurance payers as is necessary and appropriate for your care. Patient files may be stored in open file racks and will not contain any coding which identifies a patient's condition or information which is not already a matter of public record. The normal course of providing care means that such records may be left, at least temporarily, in administrative areas such as the front office, examination room, etc. Those records will not be available to persons other than office staff. You agree to the normal procedures utilized within the office for the handling of charts, patient records, PHI and other documents or information.
- 2. It is the policy of this office to remind patients of their appointments. We may do this by telephone, e-mail, U.S mail, or by any means convenient for the practice and/or as requested by you. We may send you other communications informing you of changes to office policy and new technology that you might find valuable or informative.
- 3. The practice utilizes a number of vendors in the conduct of business. These vendors may have access to PHI but must agree to abide by the confidentiality rules of HIPAA.
- 4. You understand and agree to inspections of the office and review of documents which may include PHI by government agencies or insurance payers in normal performance of their duties.
- 5. You agree to bring any concerns or complaints regarding privacy to the attention of the office manager or the doctor.
- 6. Your confidential information will not be used for the purposes of marketing or advertising of products, goods or services.
- 7. We agree to provide patients with access to their records in accordance with state and federal laws.
- 8. We may change, add, delete or modify any of these provisions to better serve the needs of the both the practice and the patient.
- You have the right to request restrictions in the use of your protected health information and to request change in certain policies used within the office concerning your PHI. However, we are not obligated to alter internal policies to conform to your request.

do hereby consent and acknowledge my agreement to the terms set forth in the HIPAA INFORMATION
ORM and any subsequent changes in office policy. I understand that this consent shall remain in force from
his time forward

Print Name	Signature	Today's Date



WHAT MIGHT OCCUR AFTER A PELLET INSERTION (MALE)

A significant hormonal transition will occur in the first four weeks after the insertion of your hormone pellets. Therefore, certain changes might develop that can be bothersome.

- **FLUID RETENTION**: Testosterone stimulates to the muscle grow and retain water which may result in a weight change of two to five pounds. This is only temporary. This happens frequently with the first insertion, and especially during hot, humid weather conditions.
- SWELLING of the HANDS & FEET: This is common in hot and humid weather. It may be treated by
 drinking lots of water, reducing your salt intake, taking cider vinegar capsules daily, (found at most
 health and food stores) or by taking a mild diuretic, which the office can prescribe.
- MOOD SWINGS/IRRITABILITY: These may occur if you were quite deficient in hormones. They will
 disappear when enough hormones are in your system.
- FACIAL BREAKOUT: Some pimples may arise if the body is very deficient in testosterone. This lasts a
 short period of time and can be handled with a good face cleansing routine, astringents and toner. If
 these solutions do not help, please call the office for suggestions and possibly prescriptions.
- HAIR LOSS: Is rare and usually occurs in patients who convert testosterone to DHT. Dosage adjustment generally reduces or eliminates the problem. Prescription medications may be necessary in rare cases.
- HAIR GROWTH: Testosterone may stimulate some growth of hair on your chin, chest, nipples and/or lower abdomen. This tends to be hereditary. You may also have to shave your legs and arms more often. Dosage adjustment generally reduces or eliminates the problem.

Print Name	Signature	Today's Date	

Post-Insertion Instructions for Men

- Your insertion site has been covered with two layers of bandages. The inner layer is a steri-strip and the
 outer layer is a waterproof dressing.
- We recommend putting an ice pack on the insertion area a couple of times for about 20 minutes each time
 over the next 4 to 5 hours. You can continue for swelling if needed. Be sure to place something between the
 ice pack and your bandages/skin. Do not place ice packs directly on bare skin.
- No tub baths, hot tubs, or swimming pools for 7 days. You may shower, but do not scrub the site until the
 incision is well healed (about 7 days).
- No major exercises for the incision area for 7 days. This includes running, elliptical, squats, lunges, etc. You can do moderate upper body work and walking.
- The sodium bicarbonate in the anesthetic may cause the site to swell for 1-3 days.
- The insertion site may be uncomfortable for up to 2 to 3 weeks. If there is itching or redness you may take Benadryl for relief, 50 mg. orally every 6 hours. Caution this can cause drowsiness!
- You may experience bruising, swelling, and/or redness of the insertion site which may last from a few days up to 2 to 3 weeks.
- You may notice some pinkish or bloody discoloration of the outer bandage. This is normal.
- If you experience bleeding from the incision, apply firm pressure for 5 minutes.
- Please call if you have any bleeding (not oozing) not relieved with pressure, as this is NOT normal.
- Please call if you have any pus coming out of the insertion site, as this is NOT normal.

Reminders:

Print Name

- Remember to go for your post-insertion blood work 4 weeks after the insertion.
- Most men will need re-insertions of their pellets 5-6 months after their initial insertion.
- Please call to make an appointment for re-insertion as soon as symptoms that were relieved from the pellets start to return. The charge for the second visit will be only for the insertion, not a consultation.

Additional Instructions:
I acknowledge that I have received a copy and understand the instructions on this form.

Signature

Today's Date